

Lactana®

## ORGANIC Follow-on Milk 3

from the 10<sup>th</sup> month onwards

+ Bifido cultures + DHA\* + ALA\*\*



DE-ÖKO-001  
EU-/Non-EU-  
agriculture



### PROPERTIES

- \* contains **DHA** (Docosahexaenoic acid, according to law), corresponding to a normal development of the sight of babies. The positive effect occurs with a daily ingestion of 100 mg DHA. DHA is an omega-3 fatty acid.
- \*\* with natural **alpha-linolenic acid** (omega-3, according to law), contributing to normal brain and nerve tissue development
- ✓ contains **Vitamin D** for a normal development of the bones as well as iodine for the cognitive development (according to law)
- ✓ contains valuable **Bifido cultures**
- ✓ is suitable from the 10<sup>th</sup> month onwards following breastfeeding or as an alternative Follow-on milk after **Töpfer Organic Follow-on Milk 2**
- ✓ fulfils the highest demands on quality and complies with the latest state of nutritional science
- ✓ corresponds to the standard of the EU organic regulation: high-quality raw materials from controlled organic cultivation are used

### INGREDIENTS

Skimmed milk<sup>\*1</sup>, Whey powder\* partly demineralized, Vegetable oils\* (Palm oil<sup>\*2</sup>, Sunflower oil\*, Rapeseed oil\*), Maltodextrin\*, Starch\*, Skimmed milk powder<sup>\*1</sup>, Lactose\*, Docosahexaenoic acid from fish oil, Calcium citrate, Potassium chloride, Calcium carbonate, Sodium citrate, Sodium chloride, Vitamin C, L-tryptophan, L-tyrosine, Magnesium hydrogen phosphate, Ferrous lactate, Bifidobacteria cultures (B. breve, B.bifidum, B.infantis, B.longum), Vitamin E, Zinc sulphate, Vitamin A, Vitamin D, Niacin, Pantothenic acid, Copper sulphate, Vitamin K, Folic acid, Vitamin B1, Vitamin B12, Vitamin B6, Manganese sulphate, Potassium iodate, Sodium selenate, Biotin.

<sup>1</sup> organic milk from the Allgäu

<sup>2</sup> organic palm oil from sustainable cultivation

\* from organic production

### IMPORTANT INFORMATION

Sole breast feeding in the first 6 months is ideal for your baby. **Töpfer Organic Follow-On Milk 3** should not be used in the first 6 months as a substitute for breast milk, but only for infants from the 10<sup>th</sup> month as part of a mixed diet. The individual growing and development needs of your baby, however, can require it necessary to include Follow-on milk as part of a mixed diet into your baby's diet at an earlier time. Please ask your paediatrician's advice. Ensure a balanced diet and a healthy way of living.

### HOW SUPPLIED

Powder: package with 600g (2 airtight inner bags à 300g), packed under protective atmosphere

SINCE 1911



Strong support for tender times.

### ARTICLE NUMBER

Art.: 60513

GTIN: 4006303004673



Average values	Unit	Per 100ml ready to drink**
<b>Energy</b>	kJ	276
	kcal	66
<b>Fat</b>	g	3,2
of which:		
Saturates	g	1,1
Mono-unsaturates	g	1,4
Polyunsaturates	g	0,7
of which:		
Linoleic acid (Omega-6)	mg	557
$\alpha$ -linolenic acid (Omega-3)	mg	48
Docosahexaenoic acid (DHA, Omega-3)	mg	20
<b>Carbohydrate</b>	g	8,0
of which:		
Sugars	g	4,5
of which: Lactose	g	4,3
Starch	g	1,4
<b>Protein</b>	g	1,4
<b>Vitamins</b>		
Vitamin A	$\mu$ g	59,2
Vitamin D	$\mu$ g	1,7 (24%)
Vitamin E	mg	1,6
Vitamin K	$\mu$ g	6,3
Vitamin C	mg	14
Vitamin B1	mg	0,060
Vitamin B2	mg	0,14
Niacin	mg	0,47
Vitamin B6	mg	0,048
Folic acid	$\mu$ g	10,8
Vitamin B12	$\mu$ g	0,18
Biotin	$\mu$ g	1,8
Pantothenic acid	mg	0,46
<b>Minerals</b>		
Sodium	mg	30,7
Potassium	mg	75,8
Chloride	mg	54,2
Calcium	mg	62,7
Phosphorus	mg	33,9
Magnesium	mg	5,77
Iron	mg	0,77
Zinc	mg	0,45
Copper	mg	0,047
Manganese	mg	0,015
Fluoride	mg	<0,010
Selenium	$\mu$ g	2,8
Iodine	$\mu$ g	15,4 (19%)
(% recommended daily intake)		

\*\* Standard preparation: 13,3 g powder + 90 ml water



Strong support for tender times.